




LEVEL 2




LEVEL 3






LOWER LEVEL



**Barkman Branch Library
Building Evacuation**




-  **EMERGENCY EXIT**
-  **EMERGENCY EXIT ROUTE**
-  **FIRE EXTINGUISHER**



Lamb Branch Library - Basement Floor ~ Building Evacuation

Lamb Branch Library
Main Floor
Building Evacuation



-  ELEVATOR
-  EMERGENCY EXIT ROUTE
-  EMERGENCY EXIT
-  FIRE EXTINGUISHER
-  RESCUE AREA

GENERAL PLAN NOTES



3003 LARIMER STREET
DENVER, CO 80205
PHONE 303.861.5704
www.ozarch.com

PUEBLO CITY-COUNTY
LIBRARY

- REFER TO GENERAL NOTES ON SHEET T1.0 FOR ADDITIONAL INFORMATION
- ALL DIMENSIONS ARE TO FACE OF STUD OR CENTERLINE OF ELEMENT U.A.O. EXTERIOR DIMENSIONS ARE FACE OF MASONRY OR STRUCTURAL GRID LINES
- ALL GYP BD. PARTITIONS AND GYP. BD CEILINGS SHALL BE PAINTED. RE: FINISH PLAN & RCP FOR ADDITIONAL INFORMATION
- REFER TO CIVIL, STRUCTURAL, MECHANICAL, ELECTRICAL, PLUMBING, TELECOM AND SECURITY DRAWINGS FOR ADDITIONAL INFORMATION. ADDITIONAL EQUIPMENT IN THE SCOPE OF WORK MAY NOT BE SHOWN ON THIS PLAN.
- COORDINATE LOCATION OF KNOX BOX WITH FIRE DEPT AND ARCH. RE: HW SCHEDULE
- PROVIDE ALL NECESSARY BLOCKING IN WALLS AND CEILINGS. LOCATION INCLUDED BUT ARE NOT LIMITED TO: CEILING AND WALL-MOUNTED FIXTURES, GRAB BARS, HANDRAILS, TOILETS, TOILET ACCESSORIES, CABINETS, PLANES, COUNTERTOPS, SHELVES, CLOSET RODS, WHITE BOARDS, AND DECORATIVE BEAMS.
- PENETRATIONS AT ROOF TOP UNITS & MAKE-UP AIR UNITS SHALL BE COORDINATED WITH MECHANICAL CONTRACTOR FOR SIZE AND LOCATION.
- ALL MASONRY DIMENSIONS ARE NOMINAL
- DIM FROM EDGE OF DOOR FRAME TO EDGE OF ADJACENT PERPENDICULAR WALL SHALL BE 4" U.N.O.
- REFER TO WINDOW SCHEDULE, FINISH SCHEDULE, AND SPEC FOR WINDOW TREATMENTS
- REFER TO FURNITURE PLAN FOR FURNITURE INFORMATION AND FINISH PLAN FOR CARPET PATTERNS AND FINISHES
- REFER TO SPECIFICATION SECTION 012300 FOR ADD ALTERNATE LIST
- RE: A8.0 FOR DOOR SCHEDULE.
- ALL PARTITIONS SHALL BE ACCUSTICAL TYPE 25B U.N.O., RE: A10.0.
- WHERE "CLEAR" IS CALLED OUT ON A DIMENSION, PROVIDE DIM NOTED FROM FACE OF FINISH TO FACE OF FINISH.
- ALL INTERIOR PARTITIONS ARE SHOWN ON A10.0 RE EXT ELEVATIONS FOR MATERIAL EXTENTS
- LOW VOLTAGE DESIGN/BUILD BY OWNER. CONTRACTOR TO COORDINATE AND PROVIDE BLOCKING, CONDUIT AND POWER FOR EQUIPMENT AS REQUIRED. VERIFY WITH OWNER
- CONTRACTOR TO COORDINATE AV AND SECURITY SYSTEMS WITH OWNER
- FIELD VERIFY ALL WINDOW OPENINGS

REVISIONS TO CONSTRUCTION SET:

- ALTERNATE FRONT PORCH AREA SHOWN IN DRAWINGS WITH LOW SLOPE ROOF.
- ADDED GUTTER AND DOWNSPOUT TO FRONT ROOF.
- LOWERED WINDOW HEADS ON ALL THREE BUILDINGS
- CLARIFIED 1.5" DIAM EXTERIOR STEEL HANDRAIL AND GUARDRAIL
- ADDED WOOD SILL AT WINDOW-RE DETAILS
- CHANGED CAP ON U/A.3 BETWEEN GRID 1 AND 2 FROM MTL TO STONE-GHV
- ADDED ATTIC ACCESS PANELS AT SCISSOR TRUSS ATTIC SPACE
- STOREFRONT TYPE F CHANGED FROM 8'-0" h x 6'-4" w to 3'-6" h x 6'-4" w.
- STOREFRONT TYPE G CHANGED FROM 8' high, to 7' high (all 3 buildings)
- STOREFRONT TYPE H TRANSOM REMOVED
- STOREFRONT TYPE R CHANGED FROM 6'-7" high to 4'-6" high.
- STOREFRONT TYPE W CHANGED FROM 3'-6" w to 3' w
- DOOR 111 CHANGED FROM 8' high, to 7' high
- DOOR 102B CHANGED FROM 8' high, to 7' high
- DOOR 114 CHANGED FROM 10' high to 9' high
- ACOUSTIC PANELS ON CEILINGS HAVE BEEN REMOVED
- ALTERNATE FIREPLACE SHOWN IN DRAWINGS
- ACOUSTICAL CEILING GRID ADDED AT EAST SIDE IN THE ADULT, YOUNG ADULT AND COMMUNITY ROOM. GYP. BD. REMOVED ABOVE
- ADDED DOWNSPOUT ON WEST ELEVATION (ALL 3 BUILDINGS)
- 8" CEILING EXTENDED OUT INTO MENS AND WOMENS RESTROOM
- GHV NORTH ELEVATION CHANGE FROM STONE TO STUCCO.
- PROVIDE SCHLUTER JOLLY TRIM ON OUTSIDE TILE CORNERS IN RESTROOMS.
- ADDED ADJUSTABLE SHELVING TO SOUTH WALL OF STORAGE 108.
- DELETED SHELVING IN STORAGE 122.
- ADDED ACCENT CARPET TILES AND PATTERNS IN EAST SIDE.
- REDUCED CASEWORK SIZE AND WINDOW SIZE AT CAFE 110 TO ACCOMMODATE AN ADDITIONAL VENDING MACHINE (PROVIDED BY OWNER).
- REDUCED LOWER CABINET SIZE AT PATRON SERVICE 103 TO FIT ADDITIONAL OWNER-PROVIDED EQUIPMENT. ADJUSTED UPPER CABINET SIZES.
- REMOVED CASEWORK ON EAST WALL OF STAFF WORKROOM 104.
- FURRED OUT AND ADDED CORNER GUARDS TO COLUMNS G2, G4 AND F2.
- REMOVED WC-02 TAC WALL AND ALUMINUM TRIM AT WEST WALL OF WORK ROOM 104.

PROJ. NO. 512009.00
DRAWN: Author
CHECKED: KAFI
APPROVED: KAFI
DATE: 08.09.13
REVISIONS
2 08-09-13

© OZ ARCHITECTURE

PUEBLO CITY-COUNTY
LIBRARY
ISSUED FOR:
100% CONSTRUCTION
DOCUMENTS




SHEET TITLE:
TYPICAL FLOOR PLAN


SCALE: 1/8" = 1'-0"
SHEET NUMBER

A2.1

2 TYPICAL CLERESTORY FLOOR PLAN
1/8" = 1'-0"

1 TYPICAL FLOOR PLAN
1/8" = 1'-0"





Pueblo West Library - Key Schedule